

THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 

Report Date: 12-JUL-2022


OVERALL INSP	PASSED					
INSPECTION	PASSED	FAILED	INCONCLUSIVE	N/A		
A. Quantity		х				
B. Product Conformity		X				
C. Workmanship / Visual	(Basic Function and Appearance)	X				
D. Data Measurement / Or	n-site Tests	X				
E. Packing and Packaging	3	X				
F. Shipping Mark		X				
G. Labeling, Printed Mater	rials and Markings	X				

#### **GENERAL INFORMATION**

Service Type:	Pre-Shipment Inspection (PSI)		
Purchase Order (PO) No.:	ABC1234	Vendor Name:	GOOD DRESS COMPANY
		Factory Name:	GOOD DRESS Garment Co., Ltd.
Product Description:	Dress	Factory Address:	Building 20, No.998,Dongda Road Suzhou City, Jiangsu, China.
Previous Inspection No.:	N/A	Inspection Date:	12-Jul-2022
Approved Sample:	Available	Inspector Name(s):	Allen Su

#### **Product Pictures**







2.Product back view

#### A. QUANTITY



THIS DOCUMENT IS NON-NEGOTIABLE

Inspection No.: 55G998A

**Client Name: ABC HOUSE** 

Report Date: 12-JUL-2022

Result			Actual Finding / Comments								
PASSED			The total shipment quantity was 6081 pieces instead of the order quantity 5810 pieces, the shortage was 4.7%.							the	
	Item/Style/	Order		pment Jantity	Presented Quantity for	Units Pa	acked in rtons	Units Finished Not Packed		Units Finis	
PO No.	Product No.	Quantity <u>Units</u>	<u>Units</u>	<u>Ctns</u>	Inspection	Qty	<u>%</u>	Qty	<u>%</u>	<u>Qty</u>	<u>%</u>
HHH1483	HH2D110	5810	6081	153	6081	6081	100	0	0	0	0
Total:		5810	6081	153	6081	6081	100	0	0	0	0
List of Export Carton Numbers Opened		Carton No.: 20, Total: 14 Carto			, 116, 129, 138, 1 ng.	50, 162, 16	67.				

#### **Pictures**









2.Carton Stacking





THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 

Report Date: 12-JUL-2022

3. Carton Stacking



4.Carton Selection



5.Carton Selection



6.Carton Selection



7.After carton selection

8.After carton selection

#### **B. PRODUCT CONFORMITY**

Result	Actual Finding / Comments
PASSED	The products were conformed to the approval sample & photos.
	Pictures



THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 





1.Approval Sample

2.Approval Sample



3. Seal tag swifted on approval sample

4. Seal tag swifted on approval sample



THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 

Report Date: 12-JUL-2022





5.Trim card

6. Product compared with approval sample

#### C. WORKMANSHIP / VISUAL (Basic Function and Appearance)

Inspection Sta	andard:	ANSI/ASQ Z1.4 (formerly known	as MIL-STD-105E)					
Sampling Pla	n/Inspection Level	Single/Normal / Level II						
AQL- Defectives		Critical	Major		Minor			
		Not Allowed	2.5		4.0			
Sample Size		200 pieces	200 pieces		200 piec	es		
	Defective Description				Major	Minor		
		For Item HH2D	110					
1	Wrinkle at fabric beside embroi	dery (obvious)		0	3	0		
2	A line of needle holes at front pa	anel (2")		0	2	0		
3	Fabric caught into seam at fron	panel (1/2")		0	1	0		
4	Untrimmed thread end at front p	panel / back panel (3/4" & 1-3/4")		0	0	2		
			Total Found:	0	6	2		
			Accept:	0	10	14		
			Result:		PASSED			

Remarks - Other defects observed but not counted in the AQL Result: Nil

Note: A <u>Defective</u> is defined as a unit of product that contains one or more defects. A <u>Defect</u> is defined as any non-conformance of the inspected unit of product with specified requirements. A single defect is taken into account per each defective unit, in every case the most serious defect exhibited by the individual sample being inspected <u>regardless of the characteristic</u>. The defects listed under "Remarks" above were also observed on the inspected samples but were not counted in the AQL result as they were less serious than other defects found on the same sample.

#### **Pictures**



THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 

Report Date: 12-JUL-2022





1. Wrinkle at fabric beside embroidery

2. Wrinkle at fabric beside embroidery





3. Wrinkle at fabric beside embroidery

4.A line of needle holes at front panel



THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 

Report Date: 12-JUL-2022



5.A line of needle holes at front panel



6. Fabric caught into seam at front panel



7. Untrimmed thread end at front panel



8. Untrimmed thread end at back panel

#### D. DATA MEASUREMENT / ON-SITE TESTS

		Check Item		Findings						Result
		Description: Carton Dimension and Weight Measurement		L x W x H = 60 x 40 x 30.5 cm, gross				gross		
	1	Sample Size:	mple Size: 2 cartons weight: 11.82~13.09 kgs.			PASSED				
		Test performed with factory equipment?		X	YE	S			NO	
		Factory equip	pment current calibration label available?		YES		NO	Χ	N/A	
		Description:	Carton Quantity and Assortment Checking	No failure.						
	2	Sample Size: 7 cartons				INC	ialiule.			PASSED
4	_ [	Test performed with factory equipment?		YE	S	Х		NO	PASSED	
		Factory equip	Factory equipment current calibration label available?		YES		NO	Х	N/A	



THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 

Report Date: 12-JUL-2022


	Description:	Bar Code Verification			NIc	o failure.			
3	Sample Size:	7 cartons / poly-bag / hangtag	No failule.						PASSED
3	Test performed with factory equipment?			YE	S	Х		NO	PASSED
	Factory equi	oment current calibration label available?		YES		NO	Х	N/A	
	Description:	Lot Color Shading Evaluation			NIc	o failure.			
4	Sample Size:	200 samples			INC	) iaiiuie.			PASSED
4	Test p	performed with factory equipment?		YE	S	Х		NO	PASSED
	Factory equi	uipment current calibration label available?		YES		NO	Х	N/A	
	Description:	Minimum Stretched Neck Opening Test for							
		Pullover Garment	No failure.						
5	Sample Size:	200 samples						PASSED	
	Test p	performed with factory equipment?		YE	S	X		NO	
	Factory equipment current calibration label available?			YES		NO	Χ	N/A	
	Description: Product Dimension Measurement		Refer to measurement sheet. (15 points					points	
6	Sample Size: 28 samples		out of toleranc		e. / total i	728 poi	nts.)	PASSED	
O	Test p	performed with factory equipment?		YE	S	X		NO	FASSLD
	Factory equip	oment current calibration label available?		YES		NO	X	N/A	

#### **Pictures**





1.Carton dimension measurement









THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 

Report Date: 12-JUL-2022

3.Barcode verification	4.Barcode verification
5.Minimum stretched neck opening	Nil

#### E. PACKING AND PACKAGING

E. PACKING AND PACKAGING				
Result	Actual Finding / Comments			
PASSED	Conformed to the packing requirement sheet.			
	Pictures			
	202/07/12			
1.View of master cartor	n 2.Carton opening			



THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 

Report Date: 12-JUL-2022



Nil

3. Product in individual poly-bag

#### F. SHIPPING MARK

Result	Actual Finding / Comments
PASSED	Conformed to the packing requirement sheet.
	Pictures
G.W.: 13 KGS N.W.: 14 KGS NEASUREMENT: 60X40X30 CM MADE IN CHINA	
1.Shipping mark	2.Side mark



THIS DOCUMENT IS NON-NEGOTIABLE

Inspection No.: 55G998A

**Client Name: ABC HOUSE** 

Report Date: 12-JUL-2022





3.Side mark

4.Barcode label

Result	Actual Finding / Comments
PASSED	Labeling conformed to trim cards.
	Pictures
1 0 0 6 1 0 0 3 6 8 2	This bag is made of biodegradable material.  hillhousehome.com
1.Poly-bag sticker	2.Marking at front of poly-bag

Bureau Veritas Consumer Products Services Shanghai Co., Ltd., 2nd Floor, Building A, No.368 GuangZhong Road, ZhuanQiao Town, MinHang District, Shanghai, China | website: www.bureauveritas.com/cps




THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 







4. Marking at back of poly-bag details



5.Main label



6.Size & origin label



THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 

Report Date: 12-JUL-2022





7.Care label

8.Hangtag front



Nil

9.Hangtag back

#### H. GENERAL REMARKS

1.	Combined sampling inspection: []Yes [_X_] No.
2.	During inspection, the color evaluation was performed by inspector in the inspection room under normal day light or other light sources specified by client. The evaluation & grading are preliminary based on factory lighting conditions at time of inspection. For accurate rating & results, color conformity should be performed by a qualified technician in a laboratory under a standard environment.
3.	The following BV inspection protocols were used for this inspection. BVC-S-0003B / 0013
4.	The following documents provided by the factory were used for this inspection and attached below for reference.  Production photos / trims cards / PO sheets.
5.	Size specification with tolerance was provided by client for measurement audit.
6.	The non-English/non-Native language information on product/ packing/ labeling cannot be verified for accuracy of the spelling, meaning or wording due to limited knowledge on the languages.
7.	No lab test report was provided by factory during inspection.
8.	No shipment sample was drawn for BV keeping due to no more product.



THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 

Report Date: 12-JUL-2022

The inspection of lot size is based on the "order" quantity, not presented quantity.

#### **Pictures**

#### **I.DISCLAIMER**

This document reflects our findings at the time and place of inspection, which was conducted by means of comparing reference product(s) and documents against samples that are randomly-picked in accordance with an agreed random statistical sampling standard from the lot(s) of finished products presented to our inspectors. This comparison was done in accordance with agreed inspection protocol and/or other agreement.

If certain methods and processes which vary or deviate from the standard and / or recommended practices of Bureau Veritas were adopted for the performance of this inspection at the request of the client, Bureau Veritas is not liable for the possible compromise of the recorded observations due to such variations or deviations.

This report / certificate does not discharge or release sellers / suppliers from their commercial, legal or contractual obligations with regard to quality / quantity of delivery nor does it prejudice the buyer's right of claim toward sellers / suppliers for compensation for any defects (apparent or otherwise) not detected during our random inspection or occurring thereafter. Bureau Veritas does not accept any liability for the quality of products in this shipment that were not produced at the time of the inspection. Further, this report/certificate does not evidence shipment.

In the event that any equipment is provided by the client or factory to be used during the inspection for any measurement purposes, it is the sole responsibility of the client or factory to ensure that said equipment has been duly maintained and calibrated in accordance with the relevant standards. Bureau Veritas shall not be held responsible in any manner for the accuracy of the equipment or for any consequences in relation to the accuracy of the equipment.

Our services, including reports and certificates (if any), are subject to the Bureau Veritas Consumer Products General Conditions of Service, which have been made available to you and can be sent upon written request.

#### FINAL REPORT

This report contains all findings of the inspection. Summary information appears on the first page while detailed findings are reported in the subsequent pages. In order to fully understand the inspection results and avoid missing important information we strongly advise you to carefully read the entire report.

#### **IMPORTANT NOTICE**

- In case the Pre-Shipment Inspection (PSI) is requested but the prerequisite conditions are not met by the time of the inspection, the service will automatically be defaulted to the level of inspection, Initial Production Check (IPI) or During Production Inspection (DUPRO), which could be performed given the actual status of the subject product lot's production and packing. In case the PSI cannot be performed, we strongly advise you to re-inspect your goods at a later stage, as some defects can appear in the remaining unfinished quantity, which has not been inspected by Bureau Veritas.
- In the case the Workmanship check is failed, or very close to AQL limit, we strongly advise that you re-inspect your goods.
- Please note repacking is done by the factory without Bureau Veritas inspector's supervision.
- Defects may appear after the inspection due to improper repacking, bad storage or transportation conditions and manufacturing process.
- The inspection scope is mainly based on specifications provided by our client, it does not include product design validation; any consequence on the product quality due to its design is not under Bureau Veritas' responsibility.

Х	< FINAL REPORT>	
	Report Reviewer Name:	SAM-H.HUANG
	Date:	12-JUL-2022



THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 

Point	Measurement Points	Spec	Size /	Color: )	KXS/B	lue Botanical	Spec	Size / (	Tolera			
Onic	Style#	Choo	1	2	3	4	Spec	1	2	3	4	nce
1.	Frt body length from hps to bttm edge @ cf	45	-1/4	E	1	+1/8	45 1/2	1	+1/8	-3/8	-1/4	1/2
2.	Back body length from hps to bttm edge @ cb	44 1/2	-1/4	1	-1/8	Ť.	45	1	7.	-1/2	-1/4	1/2
3.	Neck width @ hps- neck seam to seam	14 3/4	1	-1/8	J	$\ell$	15	-1/8	- E	-1/8	3	1/8
4.	Cf neck drop from hps to cf neck edge	4	-1/8	1	1	-1/8	4 1/4	1	-1/8	$\mathcal{A}$	-1/8	1/8
5.	Cb neck drop from hps to cb neck edge	4	7	1	J	1.	4 1/4	-1/8	-1/8	- 1	7	1/8
6.	Bust circumference @ 1" Below top edge - relaxed	23	-1	-1/2	I	-1/4	25	-1/2	-1	I.	-1/2	1
7.	Bust circumference @ 1" Below top edge - extended	43	7	1	1	1.	45	1	1	J	7	1
8.	Waist circ. 7 1/4" Below top edge - relaxed	22	-1	-1/2	1	-1/4	24	-1/2	-1	$\mathcal{F}$	-1/2	1
9.	Waist circ. 7 1/4" Below top edge - extended	45	7	T.	J	t.	47	7	1	J.	J	1
10.	Hip circ. 19" Below top edge	55	-1	1	-1/4	-1/2	57	1	-1/2	I	-1/4	1
11.	Bottom opening circumference @ ruffle seam	88	+1	-1/2	J	+1	88	1	+1	+1/2	+1	1
12.	Strap width (where strap meets bodice)	2 1/2	7	E	1	1	2 1/2	7.	1	$\mathcal{F}$	J.	1/8
13.	Strap width at hps flat	5	1	- 1	J	1	5	1	7.	- 1	I	1/8
14.	Strap total length relaxed	11 1/2	-1/4	I	-1/4	7	12	-1/4	-1/8	1	-1/8	1/4
15.	Strap total length extended	26 1/2	1	1	1	T.	27	7	1	-1	1	1/4
16.	Strap placement from side seam	1 1/4	1	-E	I	1	1 7/8	1	1	- 1	I	1/8
17.	Strap distance edge to edge	3 1/2	-1/8	1	-1/8	f.	-4	1	-1/8	1	1	1/8
18.	Smocking height (not including ruffle) stitch to stitch	6 3/4	+1/8	+1/4	+1/8	+1/8	6 3/4	+1/4	+1/8	+1/4	+1/8	1/8
19.	1st ruffle height	6 3/4	1	T.	1	1	6 3/4	-1/8	i.	I	-1/8	1/8
20.	2nd ruffle height	7 3/4	7	- E	-1/8	7:	7 3/4	1	7	J	J	1/8
21.	Bottom ruffle height	8 1/4	1	-1/8	1	f.	8 1/4	1	1	J	1	1/8
22.	Pocket placement from hps	14 1/8	-1/8	T.	J	-1/8	14 3/8	7	1	I	1	1/8
23.	Pocket opening	6	-1/8	-1/4	1	-1/8	6	1	1	-1/8	-1/4	1/8
24.	Pocket bag at widest	6	1	T <sub>i</sub>	I	6	6	7	1	F	1	1/8
25.	Pocket back length	9 1/2	7	Ĭ.	1	1	9 1/2	1	Ĩ	$\mathcal{A}^{\mathbb{Z}}$	1	1/8
26.	Ruffle height	1	1	I	y.	£	1	1	$\ell$	I	7	1/8
27.												
	Weight:											



THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 

Point	Measurement Points	Spec	Size /	Color: S	3 / Blue	<b>Botanical</b>	Spec	Size / (	Toler			
romi	Style#	Spec	1	2	3	4	Орсс	1	2	3	4	nce
28.	Frt body length from hps to bttm edge @ cf	46	1	-3/8	-1/4	+1/8	46 1/2	-3/4	1	+1/8	ı	1/2
29.	Back body length from hps to bttm edge @ cb	45 1/2	1	-1/2	-1/4	ï	46	-1/2	-1/8	$\circ I$	Ī	1/2
30.	Neck width @ hps- neck seam to seam	15 1/4	-1/8	1	-1/8	1	15 1/2	-1/8	$\epsilon$	I	-1/8	1/8
31.	Cf neck drop from hps to cf neck edge	4 1/2	-1/8	T.	-1/8	-1/8	4 3/4	1	-1/8	1	I	1/8
32.	Cb neck drop from hps to cb neck edge	4 1/2	-1/8	1	1	-1/8	4 3/4	1	E	1	-1/8	1/8
33.	Bust circumference @ 1" Below top edge - relaxed	27	+1	-1 1/2	-1/2	-1	29	-1/2	1	-1/4	-1/2	1
34.	Bust circumference @ 1" Below top edge - extended	47	1	1	7	1	49	1	1	$\mathcal{F}$	7	1
35.	Waist circ. 7 1/4" Below top edge - relaxed	26	-31	-1 1/2	-1/2	-1	28	-1/2	Ē	-1/2	-1/2	1
36.	Waist circ. 7 1/4" Below top edge - extended	49	7	1	J	1	51	1	1	1	,	1
37.	Hip circ. 19" Below top edge	59	-1/2	-1	-1/4	-1/2	61	-1/2	1	-1/2	I	1
38.	Bottom opening circumference @ ruffle seam	88	+1	+1/2	+1/4	+1	88	-1/2	1	+1	+1/2	1
39.	Strap width (where strap meets bodice)	2 1/2	1	T:	J	7:	2 1/2	- X	7.	I.	J	1/8
40.	Strap width at hps flat	5	7	1	J	1	5	1	1	- 1	1	1/8
41.	Strap total length relaxed	12 1/2	-1/8	1	-1/8	-1/8	13	1	-1/4	- 1	-1/8	1/4
42.	Strap total length extended	27 1/2	ý	T	I	1	28	1	1	Ť.	1	1/4
43.	Strap placement from side seam	2 1/2	7	1	I	1	2 5/8	7	1	T	¥	1/8
44.	Strap distance edge to edge	4 1/2	-1/8	1	1	-1/8	4 3/4	1	-1/8	1	1	1/8
45.	Smocking height (not including ruffle) stitch to stitch	6 3/4	+1/8	+1/4	+1/8	+1/8	6 3/4	+1/8	+1/8	+1/8	+1/8	1/8
46.	1st ruffle height	6 3/4	7	E	-1/8	1	6 3/4	7.	1	1	J	1/8
47.	2nd ruffle height	7 3/4	1	1	1	1	7 3/4	1	-1/8	J	1	1/8
48.	Bottom ruffle height	8 1/4	ÿ	-1/8	I	1	8 1/4	-1/8	1	T.	-1/8	1/8
49.	Pocket placement from hps	14 5/8	7	- F	I	1	15 1/8	1	1	-1/8	N.	1/8
50.	Pocket opening	6	7	-1/8	1	-1/8	6	-1/4	1	-1/8	-1/4	1/8
51.	Pocket bag at widest	6	1	- E	I	1	6	7	-1/8	$\mathcal{J}^{\prime}$	1	1/8
52.	Pocket back length	9 1/2	7	-1/8	7	7	9 1/2	7	Ĩ	$\mathcal{F}$	7	1/8
53.	Ruffle height	1	1	T)	I	7)	1	7	T.	F	I	1/8
54.												
	Weight:											



THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 

Point	Measurement Points	Spec	Size /	Color: I	L / Blue	Botanical	Spec	Size / (	Tolera			
romi	Style#	Spec	1	2	3	4	Spec	1	2	3	4	nce
55.	Frt body length from hps to bttm edge @ cf	47	1	+1/8	-1/4	(	47 1/2	-1/2	-1/4	- 1	-3/8	1/2
56.	Back body length from hps to bttm edge @ cb	46 1/2	-1/8	+1/8	-1/4	-1/8	47	-1/2	-1/4	1	-1/2	1/2
57.	Neck width @ hps- neck seam to seam	15 3/4	7	1	-1/8	1	16	-1/8	· E	-1/8	1	1/8
58.	Cf neck drop from hps to cf neck edge	5	7	-1/8	1	1	5 1/4	/	-1/8	I	1	1/8
59.	Cb neck drop from hps to cb neck edge	5	1	1	J	1.	5 1/4	1	$\ell$	-1/8	J	1/8
60.	Bust circumference @ 1" Below top edge - relaxed	31 1/2	+1	-1/4	-1/2	-1	34	-1/2	-1	1	-1/2	1
61.	Bust circumference @ 1" Below top edge - extended	51 1/2	7	1	7	1	54	1	1	T	1	1
62.	Waist circ. 7 1/4" Below top edge - relaxed	30 1/2	-1	-1/4	-1/2	-1	33	-1/2	-1	T.	-1/2	1
63.	Waist circ. 7 1/4" Below top edge - extended	53 1/2	1	1	J	1	56	1	1	- 1	,	1
64.	Hip circ. 19" Below top edge	63 1/2	-1/4	-1/2	I	-1/4	66	-1/4	-1/2	1	-1/4	1
65.	Bottom opening circumference @ ruffle seam	88	7	+1	+1/2	1	88	+1/2	1	+1	+1/2	1
66.	Strap width (where strap meets bodice)	2 1/2	1	T:	J	70	2 1/2	4	- 10	S.E.	J	1/8
67.	Strap width at hps flat	5	7	1	1	1.	5	1	1	- 1	7	1/8
68.	Strap total length relaxed	13 1/2	-1/4	1	1	-1/4	14	1	-1/8	-1/8	I	1/4
69.	Strap total length extended	28 1/2	- ÿ	T.	1	1.	29	1	1	E	J	1/4
70.	Strap placement from side seam	3 1/8	1	- E	I	1	3 5/8	7	1	-T	V .	1/8
71.	Strap distance edge to edge	5	-1/8	1	1	-1/8	5 1/4	1	1	-1/8	1	1/8
72.	Smocking height (not including ruffle) stitch to stitch	6 3/4	+1/8	+1/8	1	+1/8	6 3/4	+1/8	+1/8	+1/8	+1/4	1/8
73.	1st ruffle height	6 3/4	9	I	J	1	6 3/4	1	-1/8	- F	J	1/8
74.	2nd ruffle height	7 3/4	-1/8	1	1	-1/8	7 3/4	1	- 5	T	I	1/8
75.	Bottom ruffle height	8 1/4	ÿ	T.	-1/8	1.	8 1/4	1	1	E	J	1/8
76.	Pocket placement from hps	15 3/8	7	-1/8	1	1	15 7/8	1	- /	F	Į.	1/8
77.	Pocket opening	6	-1/8	- 1/8	-1/4	-1/8	6	-1/8	-1/4	1	-1/8	1/8
78.	Pocket bag at widest	6	1	<u>I</u>	1	1.	6	7	- //	$\mathcal{F}$	I	1/8
79.	Pocket back length	9 1/2	7	, E	7	ř	9 1/2	1	Ť	$-\varepsilon E$	j.	1/8
80.	Ruffle height	1	1	- 1	1	10	1	1	¥.	F	I	1/8
81.												
	Weight:											



THIS DOCUMENT IS NON-NEGOTIABLE

**Inspection No.: 55G998A** 

**Client Name: ABC HOUSE** 

Report Date: 12-JUL-2022

Point	Measurement Points	Spec	Size /	Color: 2	XXL/B	ue Botanio	cal		Toler
Cint	Style#	Opec	1	2	3	4			nce
82.	Frt body length from hps to bttm edge @ cf	48	-1/4	+1/2	-3/8	1			1/2
83.	Back body length from hps to bttm edge @ cb	47 1/2	-1/4	+1/2	-1/4	7			1/2
84.	Neck width @ hps- neck seam to seam	16 1/4	1	-1/8	1	-1/8			1/8
85.	Cf neck drop from hps to cf neck edge	5 1/2	-1/8	1	-1/8	-1/8			1/8
86.	Cb neck drop from hps to cb neck edge	5 1/2	1	-1/8	1	1			1/8
87.	Bust circumference @ 1" Below top edge - relaxed	36 3/4	-1/2	-1	1	-1/2			1
88.	Bust circumference @ 1" Below top edge - extended	56 3/4	7	1	7	/			1
89.	Waist circ. 7 1/4" Below top edge - relaxed	35 3/4	-1/2	-3/4	1	-1/2			1
90.	Waist circ. 7 1/4" Below top edge - extended	58 3/4	- ÿ	T.	1	1			1
91.		68 3/4	-1/4	-1/2	1	-1/4			1
92.	Bottom opening circumference @ ruffle seam	88	+1	+1/4	+1/2	+1			1
93.	Strap width (where strap meets bodice)	2 1/2	1	I	1	1			1/8
94.	Strap width at hps flat	5	9	T.	I	1			1/8
95.	Strap total length relaxed	14 1/2	1	-1/B	1	-1/8			1/4
96.	Strap total length extended	29 1/2	Ž	Ü	7	ř.			1/4
97.	Strap placement from side seam	4 1/8	1	1	1	7)			1/8
98.		5 1/2	1	-1/8	1	1			1/8
99.	Smocking height (not including ruffle) stitch to stitch	6 3/4	+1/8	+1/8	+1/4	+1/8			1/8
100	1st ruffle height	6 3/4	-1/8	t	1	-1/8			1/8
101	2nd ruffle height	7 3/4	7	-I	1	1			1/8
102	Bottom ruffle height	8 1/4	7	1.	-1/8	T.			1/8
103	Pocket placement from hps	16 3/8	1	$-t_{i}$	3	1			1/8
104	Pocket opening	6	1	-1/8	-1/8	-1/4			1/8
105	Pocket bag at widest	6	1	- I	J	1			1/8
106	Pocket back length	9 1/2	1	t	1	-1/8			1/8
107	Ruffle height	1	7	T.	J	1			1/8
108									
	Weight:								

1.Others->Measurement sheet




THIS DOCUMENT IS NON-NEGOTIABLE

Inspection No.: 55G998A

**Client Name: ABC HOUSE** 

Report Date: 12-JUL-2022



1.COC Signed Copy